



Early Journal Content on JSTOR, Free to Anyone in the World





This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.



quatuor erant in sinistro pectore pro digitis, quinta vero eademque maxima dextrum deformabat pectus, pollicem recipiens. Quam itaque perversus sit ille, et detestandus tenellos infantes tractandi mos, satis ille frequens, ex supra dictis facile patebit, spero, cuique. Si vero ad illos perveniat hæc observatio, quod valde optarem, qui infantum curas gerunt, plures, puto, a vitio illo immunes præstari in posterum poterunt homines, ne prima ætate male tractati hoc vel alio modo non minus cauto, vel defigurentur; vel et tabe, vel alio morbo inde orto contumantur. Simillimam narratæ observationem feci nupera hyeme in puella duorum annorum. Et uti jam monui in vivis etiam corporibus animadverti similia. Cum *Rachitide* cæteroquin minime confundenda est deformitas ista.

Dabam Cassellis Jan. 31.
1747.

Joh. Jac. Huber.

III. *The Operation of Lithotomy on Women,* *by Mons. le Cat. M.D. & F.R.S.*

Translated from the French by T. S.

Read April 6.
1749.

THE lateral Way of cutting for the Stone, which I have used on Men since 1732, naturally led me, in the Year 1735, to cut the Widow *Neel*, a Farmer near *Yvetot* in the *Pais de Caux* in the same manner, as has been seen in the Observation. In this Operation the common grooved Staff served me as a Director; and having

N

made

made the Incision, on the left Side of the *Urethra*, with the strait grooved Knife, which I used that Year in cutting Men, I withdrew the grooved Staff, and introduced the Groove of the Knife.

Immediately after this Operation, I shorten'd the Work, by reducing the three Instruments to two. For that Purpose I contrived to add to the common Gorget *AA*, *Fig. 1.* and 2. *TAB. I.* a grooved Staff *BB*.

After placing and tying the Patient in the same manner as for cutting Men, I at once introduce into the *Urethra* the End *B* of the Gorget, which constitutes the grooved Staff, I turn the Groove towards the Patient's left Buttock: On this Groove I push the Knife (*Urethro-cistitome*) *Fig. 3.* which is not grooved, nor so broad as that which I made use of in 1735 on the Widow *Niel*. Having laid open the Neck of the Bladder, I lay aside the Knife, and thrust the Gorget farther into the Bladder; for Example, as far as *C*. Then I pass the Fore-finger on the Gorget into the Bladder, to dilate the Neck; which done, I introduce the Gorget as far forward as is necessary, and on it the *Forceps*. The rest of the Operation is performed as on Men:

The first of the Sex, whom I cut in this last Method, as appears by my Journal, is *Magdalen le Marchand* of the *Pais de Caux*, aged 22, cut in *May 1738*. I extracted a large Stone from her, and she was cured in ten Days.

Since that time I have constantly practised this Method, which has succeeded perfectly well. When the Stones were little, the Patients were cured in a few Days: But here is one, whose speedy Cure has somewhat surprizing in it; inasmuch as I really believe it the only one which has happen'd so.

Mary

Mary le Comte of *Diepdal* near *Rouen*, aged 12, cut the 24th of *May* 1740, had a Stone of a middling Size. In three Hours she retain'd her Urine, so as not to discharge it but voluntarily. I thought it was the pretty common Effect of the inflammatory Swelling, which frequently happens after the Operation; and that the Suppuration would soon relax these Parts, and open the Wound; but I was mistaken. There was not the least Suppuration. *Mary le Comte* perform'd all the Functions of this Organ, as usual; and being tired of the Bed, to which she was confined against her Will, she got up the third Day, in good Health, without any Accident supervening.

At the same time that I was labouring to improve the Manner of cutting Women, and shorten the Operation, I contrived another Gorget (*Fig. 4.*) which, besides the grooved Staff of the former, contain'd within it the cutting Instrument, which was to make the Incision or Enlargement; that is to say, the three Instruments in one: And this Instrument was attended with this Advantage, that it could serve for Men as well as Women. One Hand is sufficient to perform the Operation with this Instrument; but as the other Hand became in a manner useless; and moreover, as it is probable that a Person can better depend on an Incision made directly with the Hand, than on those which are made by Machines or Springs. I have not hitherto used this Instrument; tho' possibly the Habit I had contracted of using the others has some Share herein. However that be, I have annexed the Figure and Description of this Gorget, that those who like it, may make use of it.

TAB. I. Fig. 4.

*Explanation of the Figure of the Gorget, which
Mr. le Cat calls Gorgeret Urethro-cisfitome.*

A, A Ring, for passing the middle Finger of the right Hand, which grasps the Handle *G*.

B, Another Ring which is slid by the Fore-finger towards *d*, to push the Blade *ab*, out of the Groove *EF*. The Figure represents the Instrument in the State in which it is at the very Instant when the Incision is made into the Neck of the Bladder. The same Fore finger draws the Piece *B* back towards *A*, when the Operator intends to make the Blades return into the Groove *F*; where they lie hid, while he introduces the Instrument from *D*, as far as *I'f* into the *Urethra*.

The Groove *FE* is closed or covered from *d* to *e*, in order to secure the Pieces *a, b, c, d, e*, in Situation.

The Pins, which bind the Hinges *a, b, c*, must not be in the Center of the Pieces, but as they are expressed in the Figure; where *b* is pretty near the outer Edge, and the other two *a, e*, on the opposite Side; to the end that, when the Ring *B* is thrust forward, the Hinge *b* may bend, and issue out of the Groove *F*, by making the Angle *abc*.